7

NO.953

## WORLD INTELLECTUAL PROPERTY ORGANIZ, International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

A2

(51) International Patent Classification 7: C12N 5/00, D01F 2/00 // A61L 15/00, 27/00

(11) International Publication Number:

WO 00/47716

(43) International Publication Date:

17 August 2000 (17.08.00)

(21) International Application Number:

PCT/GB00/00144

(22) International Filing Date:

21 January 2000 (21.01.00)

(30) Priority Data:

9901272.6 9903561.0 21 January 1999 (21.01.99) GB

GB 17 February 1999 (17.02,99)

(71) Applicant (for all designated States except US): ADVANCED MEDICAL SOLUTIONS LIMITED [GB/GB]; Road Three, Winsford Industrial Estate, Winsford, Cheshire CW7 3PD (GB).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): HAMILTON, Douglas, William [GB/GB]; Heyes Park, Hartford, Northwich, Cheshire CW8 2AJ (GB). IVES, Christopher, Louis [GB/GB]; Rose Farm, Stonely Green, Nantwich, Cheshire CW5 8QA (GB). MIDDLETON, Isn, Philip [GB/GB]; 7 Kingsley Road, Boughton, Chester CH3 5RR (GB). ROSETTO, Chiara [GB/GB]; 20 Vose Close, Hood Manor, Warrington, Cheshire WA5 1EW (GB).
- (74) Agent: ATKINSON, Peter, Birch; Marks & Clerk, Sussex House, 83-85 Mosley Street, Manchester M2 3LG (GE).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EP, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU,

SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM,

GA, GN, GW, ML, MR, NE, SN, TD, TG).

## Published

Without international search report and to be republished upon receipt of that report.

(54) Title: FIBRES

(57) Abstract

Culturing of eukaryotic cells is effected using fibres having at least one open-topped channel formation on the mouth of which or within which individual cells adhere and grow under the culturing conditions.